

Rotelle box doccia / rollers for shower doors **BEST SELLERS**



PG001

Name: Single Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm



PG003

Name: Hook For Double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 5-6mm
Hole Pitch: 18mm



PG005

Name: Straight Pole Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm




PG007

Name: Butterfly Single Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-8mm
Two holes distance: 30mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG002



Name: Single and double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 35mm




PG004



Name: Partiality Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 10\text{mm}$ 12mm
Glass thickness: 4-6mm




PG006



Name: Chain Pole Double Wheels
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Distance of two wheels: 28mm



PG008




Name: Bearing Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
dependent bearing
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG010



Name: Plane Pulley With Hook
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 3-6mm




PG016



Name: U groove wheel
Pulley: $\varnothing 22\text{mm} \times 6$
Materials: Nylon
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm




PG094



Name: Single Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS Nylon POM
304 SS ball
Glass Hole: $\varnothing 10\text{mm}$
Glass thickness: 4-8mm
Hole Pitch: 18mm



PG057




Name: Double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Zinc Alloy
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-6mm
Distance of two wheels: 36mm


Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG011



Name: Double Wheels With Hook
Pulley: $\varnothing 22\text{mm}$
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 16mm
Distance of two wheels: 24mm




PG033



Name: Hanging Wheels
Pulley: $\varnothing 20\text{mm}$
Materials: Copper POM
304 SS ball
Distance of two tracks: 16mm




PG056



Name: Small Butterfly Single Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon Copper POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-6mm
Distance of two holes: 26mm



PG058




Name: Double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 35mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG059



Name: plating Single and double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 28mm




PG061



Name: plating double Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 28mm




PG069



Name: chromeplate Single-wheel
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm



PG075




Name: Cornor Pulley
Pulley: $\varnothing 19 \times 5.5$
Materials: Nylon Copper POM
304 SS ball

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG060



Name: Eccentric Wheel with Straight Pole
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Copper POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm




PG062



Name: Pariality Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Copper POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-6mm




PG072



Name: Bearing Pulley
Pulley: $\varnothing 23\text{mm}$ 25mm
Materials: Nylon
688 bearing
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 35mm



PG076




Name: shower roller
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS Nylon
304 SS ball
Glass Hole: $\varnothing 10\text{mm}$
Glass thickness: 4-8mm
Hole Pitch: 18mm
Distance of two wheels: 28mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG077



Name: Small Butterfly Double Pulley
Pulley: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing 8\text{mm}$
Glass thickness: 4-6mm
Two Hole Distance: 26mm
Distance of two wheels: 28mm




PG082



Name: Up and Down shower roller
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 35mm




PG088



Name: Straight Pole Pyriality Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: ABS POM
304 SS ball
Glass Hole: $\varnothing 16\text{mm}$
Glass thickness: 4-6mm
Common: $\varnothing 25 \times 40$ pole



PG060-1




Name: Straight Pole Pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: POM
304 SS ball
Glass Hole: $\varnothing 12\text{mm}$
Glass thickness: 4-6mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**




PG078



Name: One location, two sliding doors
Pulley: $\varnothing 20 \times 6$
Materials: Nylon copperH59-1 POM
304 SS ball




PG085



Name: Universal Pulley For Folding Door
Pulley: $\varnothing 19 \times 5$
Materials: Nylon copperH59-1 POM
304 SS ball




PG096



Name: plating Single and double Pulley
Pulley: $\varnothing 23 \text{mm}$
Materials: ABS POM
SS bearing
Glass Hole: $\varnothing 12 \text{mm}$
Glass thickness: 4-6mm
Hole Pitch: 18mm
Distance of two wheels: 26mm




PG073




Name: Upper and lower shower roller
Conventional Size: $\varnothing 23.3 \text{mm}$ 25mm
Materials: Nylon
304 SS ball
Glass thickness: 4-6mm

Rotelle box doccia / rollers for shower doors **BEST SELLERS**



PG105




Name: ABS plating Double Pulley
Pulley: $\varnothing$ 23.3mm 25mm
Materials: ABS copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing$ 10mm
Glass thickness: 4-6mm
Distance of two wheels: 30mm

Rotelle box doccia / rollers for shower doors




PG013



Name: Little Wheels
Pulley: $\varnothing 16\text{mm}$
Materials: copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing 5\text{mm}$




PG015



Name: Universal Circled Slot Wheels
Pulley: $\varnothing 25 \times 8.5$
Materials: POM
304 SS ball
Glass Hole: $\varnothing 5\text{mm}$
Glass thickness: 4-6mm




PG015



Name: Whole Wheel Set For 3 Mobile Door
Pulley: $\varnothing 19 \times 5$
Materials: Nylon
304 SS ball
Glass thickness: 4-6mm



PG046




Name: Screen bathroom pulley
Conventional Size: $\varnothing 23.3\text{mm}$ 25mm
Materials: Nylon copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing 6\text{mm}$
Glass thickness: 4-6mm

Rotelle box doccia / rollers for shower doors




PG014



Name: Universal Pulley
Pulley: $\varnothing 25 \times 5$
Materials: copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing 6 \text{mm}$
Glass thickness: 4-6mm




PG017



Name: Wheels For Folding Door
Pulley: $\varnothing 19 \text{mm} \times 5$
Materials: Nylon copperH59-1 POM
304 SS ball



PG019



Name: Wheels For Double Door
Pulley: $\varnothing 19 \text{mm} \times 5$
Materials: Nylon copperH59-1 POM
304 SS ball



PG071




Name: Screen bathroom pulley
Pulley: $\varnothing 25 \text{mm} \times 6$
Materials: copperH59-1 POM
304 SS ball
Glass Hole: $\varnothing 12 \text{mm}$
Glass thickness: 4-6mm
Distance of two wheels: 26mm

Rotelle box doccia / rollers for shower doors




PG041



Name: Arc. The Corner Of The Wheel
Pulley: $\varnothing 23\text{mm}$ 26mm
Materials: POM copperH59-1
304 SS ball




PG048



Name: Universal Wheels
Pulley: $\varnothing 19\text{--}27\text{mm}$
Materials: POM copperH59-1
304 SS ball




PWMG019



Name: u groove wheel
Pulley: $\varnothing 19\text{mm} \times 5.15$
Materials: POM copperH59-1
304 SS ball



PWMG021




Name: u groove wheel
Pulley: $\varnothing 19\text{mm} \times 6$
Materials: POM copperH59-1
304 SS ball
Pulley thickness: 6mm

Rotelle box doccia / rollers for shower doors




PG037



Name: Multi-function Wheels
Pulley: $\varnothing 19-27\text{mm}$
Materials: POM copperH59-1
304 SS ball




PG042



Name: Small Wheel
Pulley: $\varnothing 19\text{mm} \times 6$
Materials: POM copperH59-1
304 SS ball




PG087



Name: u groove wheel
Pulley: $\varnothing 30\text{mm}$
Materials: POM copperH59-1
304 SS ball



PGWM020




Name: u groove wheel
Pulley: $\varnothing 19\text{mm} \times 5.5$
Materials: POM copperH59-1
304 SS ball

Rotelle box doccia / rollers for shower doors




PGWM023



Name: Pariality Pulley
Pulley: $\varnothing 21\text{mm}$
Marterials: POM
304 SS micro-bearing
Pulley thickness: 4mm




PGWM025



Name: wheel
Pulley: $\varnothing 27\text{mm}$
Marterials: POM
304 SS micro-bearing
Pulley thickness: 6.5mm




PG025




Name: wheel
Pulley: $\varnothing 25\text{mm}$
Marterials: POM copperH59-1
304 SS micro-bearing
Pulley thickness: 6mm

Rotelle box doccia / rollers for shower doors




Name: u groove wheel
Pulley: $\varnothing 19\text{mm} \times 6$
Materials: POM
304 SS micro-bearing

PGWM022



Name: wheel
Pulley: $\varnothing 21\text{mm}$
Materials: POM
304 SS micro-bearing
Pulley thickness: 4mm

PGWM024



Name: wheel
Pulley: $\varnothing 20\text{mm}$
Materials: POM copperH59-1
Pulley thickness: 6mm

PG049